COME IN FROM THE COLD

Vent-Free Gas Space Heaters

VANGUARD®

Vent-Free Gas Space Heaters

THE VANGUARD OF VENT-FREE GAS HEATING TECHNOLOGY–IMPROVING THE WAY AMERICA HEATS THE HOME.

Vanguard, the leader in vent-free gas space heating, continues to set the pace for the rest of the industry. New, state-of-the-art heater designs have taken advantage of all the decorating trends and technological advances that the 21st Century has to offer.

Our continued leadership role in vent-free gas space heating means energy saving efficiency, safety assurance and technological advancement. Our wide selection of stylish models means no other manufacturer can give you so many great heating selections.

This is what industry leadership is all about. And that's why Vanguard is the first choice in gas space heating with families across America.

Come join us!

Money Saving Comfort
- Vanguard's "Zone Heating" warms your immediate living space and lets you turn down the thermostat for great savings. With Vanguard, you can save 15% for every 5° thermostat set-back.

Safety Features Built Right In
- Meets or exceeds every government safety/performance standards.
- Standard equipment includes matchless ignition, safety pilot systems, grille over heating elements, plus much more.
- Dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply.

Easy To Install
- All Hardware included to mount to the wall or floor
- Connects to gas source—no vent pipe or chimney required.

Works Even If the Power Doesn't
- No electricity required. User Warm & Friendly
- To start the heater, simply press the "matchless" ignition.

Dealers "In The Know"
Vanguard Dealers are recognized gas appliance specialists. Years of experience plus factory sales and service training make Vanguard Dealers the best qualified to assist you in the selection, purchase, installation and operation of your heater.

Quality Made In The USA
- Vanguard Heaters are manufactured by American workers in Bowling Green, Kentucky.

Work We Stand Behind
- Limited four year warranty

Keeping Your Comfort In Control

In order to meet all your heating needs, Vanguard Vent-Free Gas Heaters are available in manually operated, thermostatically and remote controlled models.

Manual Control – Blue Flame & Infrared Models

Vanguard's Manually Controlled Vent-Free Heaters allow you to choose the heat setting you prefer by simply turning the control knob. The heater will operate at the selected level until the control knob is turned to off or another setting.

Thermostatically Controlled Blue Flame & Infrared Heaters

Blue flame models operate by gradually modulating the heat output and flame height from the selected setting to lower settings, or pilot, in order to maintain a consistent room temperature. Operating from pilot, thermostatically controlled infrared models turn all the plaques on or off to maintain the heat output desired.

NEW! Remote Controlled Blue Flame and Infrared Heaters

Includes a Thermostatic Axial Blower

You can simply operate the heater on and off with the hand held remote control, manually or set it to thermostat to maintain a consistent room temperature. Also, you can program the remote to turn the heater on and off at a desired time twice a day. For example, the first set can turn on the heater at 6:00 a.m. and turn off the heater at 7:30 a.m., giving you complete control. Use the second set to turn the heater on and off at a different time of day or evening. Other Remote Control features - Large LCD Display, Room Temperature Set, and Child Safety Lock.

Easy-to-use top-mounted controls. No matches or electricity needed.

New "Auto-Light" Electronic Ignition generates multiple sparks for easier starts (mid and large non-remote units only).

Updated modern style features almond color, round edges, clean lines and a slim, wall hugging design.

Cabinet design features top & bottom horizontal louvers for a handsome, contemporary appearance.

Decorative safety grille.

Free floor mounts available for mid and large heaters for flexible floor installations.

Dual Purpose Safety Pilot System protects against oxygen depletion and any interruption in the fuel supply.

Infrared Vent-Free Gas Space Heaters

Infrared Plaque Heaters radiate heat and "warm like the sun." Direct heat from the radiant plaques quickly warms people and objects in the room before heating the air. As you enjoy the immediate comfort, the bright orange plaques illuminate a warm cheery glow.

For Heating Smaller Spaces

Infrared Heaters						
MODEL NO.	OPERATION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	DIMENSIONS	SHIPPING WEIGHT
VN6*	Manual	Natural	One Setting	6,000	21 1/2"H x 13 1/2"W x 7"D	14.0 lbs.
VP5*		Propane		5,500		
VN10*	Manual	Natural	From Low To High	From 5,500 to 10,000	21 1/2"H x 13 1/2"W x 7"D	15.0 lbs.
VP10*		Propane				
VN10T*	Thermostat	Natural	Pilot to High	10,000	21 1/2"H x 13 1/2"W x 7"D	15.0 lbs.
VP10T*		Propane				

For Heating Larger Areas

Infrared Heaters						
MODEL NO.	OPERATION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	DIMENSIONS	SHIPPING WEIGHT
VN18	Manual	Natural	Low, Medium, High	6,600, 12,000, 18,000	24 1/4"H x 18 1/8"W x 8"D	26.0 lbs.
VP16		Propane		6,000, 11,000, 16,000		
VN18T	Thermostat	Natural	Pilot To High	18,000	24 1/4"H x 18 1/8"W x 8"D	26.0 lbs.
VP16T		Propane		16,000		
VN30	Manual	Natural	Low, Medium, High	6,600, 18,000, 30,000	24 1/4"H x 25 1/4"W x 8"D	35.0 lbs.
VP26		Propane		6,000, 16,000, 26,000		
VN30T	Thermostat	Natural	Pilot to High	30,000	24 1/4"H x 25 1/4"W x 8"D	35.0 lbs.
VP26T		Propane		26,000		

NEW!

Infrared Heaters with Remote Control and Thermostatic Axial Blower						
MODEL NO.	OPERATION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	DIMENSIONS	SHIPPING WEIGHT
NZ104	Remote Control	Natural	Pilot To High	18,000	24 1/4"H x 18 1/8"W x 8"D	26.0 lbs.
NZ105	Remote Control	Propane		16,000		
NZ106	Remote Control	Natural	Pilot To High	30,000	24 1/4"H x 25 1/4"W x 8"D	35.0 lbs.
NZ107	Remote Control	Propane		26,000		

*ANSI Z21 11.2 Standard and National Fuel Gas Code revised in 1994 to permit wall mounted installations of Vent-Free Gas Heaters of 10,000 Btu or less in bedrooms and 6,000 Btu or less in bathrooms. Check local codes.

Vent-Free Gas Space Heaters

Blue Flame Vent-Free Gas Space Heaters

Blue Flame Convection Heaters work much like a central heating system. They warm the air first, then people and objects. Altogether, the heat is more "gentle" as the warming process occurs. Adding to its beauty, the blue flame glows through tempered, tinted glass for warm, intimate comfort.

For Heating Smaller Spaces

Blue Flame Heaters						
MODEL NO.	OPERATION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	DIMENSIONS	SHIPPING WEIGHT
VN600B*	Manual	Natural	From Low To High	From 4,400 to 6,000	21 1/2"H x 13 1/2"W x 7"D	14.0 lbs.
VP600B*		Propane				
VN1000BT*	Thermostat	Natural	From Low To High	From 5,500 to 10,000	21 1/2"H x 13 1/2"W x 7"D	16.0 lbs.
VP1000BT*		Propane				

For Heating Larger Areas

Blue Flame Heaters						
MODEL NO.	OPERATION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	DIMENSIONS	SHIPPING WEIGHT
VN20BT	Thermostat	Natural	From Low To High	From 10,000 to 20,000	24 1/2"H x 18 1/2"W x 8"D	26.0 lbs.
VN20BT		Propane				
VN30BT	Thermostat	Natural	From Low To High	From 15,000 to 30,000	24 1/2"H x 25 1/4"W x 8"D	35.0 lbs.
VP30BT		Propane				

NEW!

Blue Flame Heaters with Remote Control and Thermostatic Axial Blower						
MODEL NO.	OPERATION	FUEL TYPE	COMFORT SETTING	BTU OUTPUT	DIMENSIONS	SHIPPING WEIGHT
NY104	Remote Control	Natural	Pilot To High	18,000	24 1/4"H x 18 1/8"W x 8"D	26.0 lbs.
NY105	Remote Control	Propane		16,000		
NY106	Remote Control	Natural	Pilot To High	30,000	24 1/4"H x 25 1/4"W x 8"D	35.0 lbs.
NY107	Remote Control	Propane		26,000		

NEW!

Accessories	
MODEL NO.	DESCRIPTION
PP100	Axial Blower for VN18/T, VP16/T, VN30/T, VP26/T, VN20BT, VP20BT, VN30BT, and VP30BT
GA3250T	Centrifugal Blower for VN18/T, VP16/T, VN30/T, VP26/T, VN20BT, VP20BT, VN30BT, and VP30BT
GA435	"Auto-Light" Electronic Ignition Kit
GA5057	Backing Plate Covers Hole From Previous Installation
GCK	Cleaning Kit, To Be Used For Routine Consumer Maintenance

*ANSI Z21 11.2 Standard and National Fuel Gas Code revised in 1994 to permit wall mounted installations of Vent-Free Gas Heaters of 10,000 Btu or less in bedrooms and 6,000 Btu or less in bathrooms. Check local codes.

UltraSLIM™

Slim, Wall Hugging, Contemporary Design



UltraSlim Vent-Free Gas Space Heaters

The UltraSlim's wall-hugging design makes it less obtrusive in room. Also, with the UltraSlim being only 15.2" tall, it allows you to utilize the space under most window applications (must meet minimum clearance requirements).

Sleek, Clean, Modern Design

With its clean lines and smoked, acrylic front, the UltraSlim will complement any decor in your home.

UltraSlim, Keeping Your Comfort In Control

The UltraSlim features hidden top mounted thermostatic control to efficiently maintain a consistent room temperature. The powerful thermostatic 85CFM blower will quickly heat your living space to increase your comfort levels. Also, the UltraSlim includes electronic ignition for easier startups.

Model #	Operation	Gas Type	Btu	Product Dimensions	Shipping Weight
VSL18NT	Thermostatic	Natural	9,000 to 18,000	15 1/4"H x 26 5/16"W x 5 1/2"D	25.0 lbs.
VSL18PT	Thermostatic	Propane/LP	9,000 to 18,000	15 1/4"H x 26 5/16"W x 5 1/2"D	25.0 lbs.

TECHNOLOGY THAT COMBINES HEAT SOURCES: Gentle Convection and "Instant" Radiant Heat



solarfusion™ Vent-Free Gas Space Heaters

The Solar Fusion gently warms the air while also providing instant "warms like the sun" radiant heat. During operation, the sun pattern glows a bright orange emitting radiant heat.

Unique Venturi Effect
The Solar Fusion heater design accomplishes air movement into the room derived from the shape of the heater, without the use of a blower.

Solar Fusion, Innovative in Thought
The Solar Fusion features concealed side mounted thermostatic control to efficiently maintain a consistent room temperature. The distinctive cabinet will harmonize any home decor with its complimentary beige color and leather texture. Also, the Solar Fusion includes electronic ignition for easier startups.

Model #	Operation	Gas Type	Btu	Product Dimensions	Shipping Weight
VSF20NT	Thermostatic	Natural	10,000 to 20,000	24 5/8"H x 18 7/8"W x 7 1/2"D	20.5 lbs.
VSF20PT	Thermostatic	Propane/LP	10,000 to 20,000	24 5/8"H x 18 7/8"W x 7 1/2"D	20.5 lbs.
VSF30NT	Thermostatic	Natural	15,000 to 30,000	24 5/8"H x 26 3/8"W x 7 1/2"D	25.5 lbs.
VSF30PT	Thermostatic	Propane/LP	15,000 to 30,000	24 5/8"H x 26 3/8"W x 7 1/2"D	25.5 lbs.

The Mini Hearth Heater may be used without optional mantels and base. Easy-to-install wall mounting bracket is included with heater. (VMH3000TN/P)

Mini Hearth® Vent-Free Gas Heaters

New Affordable House Warming Ideas That Save Space While Enhancing Any Decor.

The Vanguard Mini Hearth Vent-Free Gas Heater offers you an attractive, affordable fireplace look to fit any decor. The handsome charcoal heater cabinet incorporates heat circulating louvers accented with decorative brass trim plus a mesh fireplace screen...all captured in the glow of a ceramic fiber log.

The Mini Hearth Heater may be used alone, with an optional metal base or with any of the attractive mantels. The Premier Cabinet Mantel, pictured on the left, features a built-in hardwood base and clean, classic lines. When space is limited, the corner mantel with a built-in base is an ideal choice.

The Ultimate In Heating Efficiency... Operates for Pennies An Hour

With its vent-free technology, the Mini Hearth Heater operates without the heat loss associated with a chimney or flue. The unique burner and log design deliver 99% heating efficiency to your living area. This design, combined with the economy of natural gas or propane, provides 30,000 Btu of heating comfort for up to 1,000 square feet. And for just pennies an hour! A Mini Hearth in your living areas is an economical way to reduce the expensive operating cost of your central heating system while enjoying the beauty of a fireplace.

Heater may be paired with the optional base for floor mounted installation. (GHB30)

GMC26F



GMC34F



NOTE: All measurements are estimates. Check actual product for size.

MODEL #	A	B	C	D	E	F	G	H
GMC26F	43 1/8"	5 1/4"	2"	26 1/4"	4 3/4"	23 1/4"	37 1/8"	9 3/4"
GMC34F	34 3/4"	5 1/4"	2"	26 1/4"	4 3/4"	23 1/4"	35 1/16"	6 1/4"

Mini Hearth® Vent-Free Gas Heater								
Model #	Description	Fuel Type	Operation	Comfort Setting	BTU Output	Gas Conn.	Dimensions	Shipping Wt.
VMH3000TN	Mini Hearth Vent-Free Gas Heater	Natural	Thermostat	From Low To High	From 15,000 to 30,000	3/8" NPT	Heater: 25 15/16"W x 23 3/4"H x 8 1/2"D With base: 25 15/16"W x 28 3/4"H x 9 15/16"D	36.0 lbs.
VMH3000TP		Propane						

Accessories			
Model #	Desciption	Outside Dimensions	Shipping Wt.
GHB30	Floor Base (some assembly required)	26" W x 2 15/16"H x 11 1/16"D	5.0 lbs.
GA3100	Manually Controlled Blower	7"W x 5"H x 5 1/2"D	3.0 lbs.
GA3200T	Thermostatically Controlled Blower	7"W x 5"H x 5 1/2"D	3.0 lbs.
GMC26F	Premier Cabinet Mantel and Base, Walnut Stained Hardwood (some assembly required)	See Illustration Above	55.0 lbs.
GMC34F	Corner Mantel and Base, Walnut Stained Hardwood (some assmebly required)	See Illustration Above	62.0 lbs.

Vent-Free Gas Space Heaters

solarfusion™

Vent-Free Gas Space Heaters

Same great features as the indoor models, but uniquely suited for the garage and other applications needing some rugged appeal. Includes a Diamond Plate finish that is ideal for completing the ultimate garage look.

TECHNOLOGY THAT COMBINES HEAT SOURCES: Gentle Convection and "Instant" Radiant Heat

MAKE YOUR GARAGE A MULTIPURPOSE WORKSPACE!

STAINLESS STEEL DIAMOND PLATE FINISH
- Perfect for completing the ultimate garage

IDEAL FOR MOST TWO CAR GARAGES
- Heats a 23' x 30' area or 700 sq. ft.

HEATS FOR PENNIES AN HOUR
- Ideal emergency heat
- Requires no electricity

THERMOSTATICALLY CONTROLLED
- Maintains a consistent room temperature

Model #	Operation	Fuel Type	BTU Output	Dimensions	Shipping Wt.
VSFG20NT	Thermostatic	Natural	10,000 to 20,000	24 5/8"H x 18 7/8" W x 7 1/2"D	20.5 lbs.
VSFG20PT	Thermostatic	Propane/LP	10,000 to 20,000	24 5/8"H x 18 7/8" W x 7 1/2"D	20.5 lbs.

Vanguard also offers a complete line of vent-free gas hearth products featuring a full line of Vent-Free Gas Log Heaters, Classic Hearth Gas Fireplace Systems, Fireplace Inserts, Cast Iron Gas Stoves and LogMate Fireboxes. A complete selection of Direct-Vent and B-Vent Fireplaces, Cast Iron Stoves and Wood Burning Fireplaces is also available.

VANGUARD DESA HEATING PRODUCTS

www.VanguardHeat.com
Bowling Green, KY 42101 (866) 672-6040

Made in U.S.A. · Member NPGA National Propane Gas Association · HPBA Hearth, Patio & Barbecue Association · Nice & Warm Vent-Free Gas Heat · gama · Design Certified

IMPORTANT

Installation must be done by qualified service persons.

Read Owner's Manual before using.

Check local codes and ordinances for permitted uses.

Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts.

All products approved for manufactured (mobile) home installation.

We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages.

Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated. Refer to owner's manual for specifics.

Product cannot be converted between fuel types.

The only warranty we offer is our standard warranty. Please read the warranty for any limitations or disclaimers.

All parts have a limited four year warranty. All accessories have a one year warranty.

To prevent performance problems, Propane models should be operated with a 100 lb. tank or larger.

FA2423-0206
©DESA 2006
Printed in U.S.A.